

# vault

Proxmox box running virtualized network infrastructure

- [Physical Hardware](#)
- [Base Install](#)
- [Configuration \(deprecated\)](#)
- [VM / firewall \(needs verification\)](#)
- [VM / homeassistant](#)

# Physical Hardware

## Basic Components

Proectli Vault



## Compute

### Processor

[Intel Celeron Bay Trail-D J1800](#) - Provides excellent mix between performance and efficiency using only 10W.

<b>Cores / Threads</b>	2 / 2
<b>Base Frequency</b>	2.41 GHz
<b>Burst Frequency</b>	2.58 GHz
<b>Cache</b>	1MB L2 Cache
<b>TDP</b>	10W

### GPU

Intel HD Graphics for Intel Atom Processor Z3700 Series

<b>Base Frequency</b>	688 MHz
<b>Burst Frequency</b>	792 MHz
<b>QuickSync Video</b>	Yes

### Motherboard

<b>Form Factor</b>	Proprietary
--------------------	-------------

<b>CPU</b>	Soldered Intel Celeron J1800
<b>Chipset</b>	unknown
<b>Memory</b>	1x DDR3L 1333MHz SODIMM, 1.35v, Max 8GB
<b>Video</b>	1x VGA
<b>Networking</b>	2x Intel Gigabit 82583V 1GbE
<b>PCI</b>	none
<b>Storage</b>	1x mSATA
<b>USB</b>	1x External USB 2.0 (Type-A) 1x External USB 3.0 (Type-A) 1x Internal USB 2.0 (mPCIe)
<b>COM</b>	1*RS232

## Memory

<p><b>Slot 1</b></p> 	<p>Timetec Hynix IC 8GB DDR3L 1333MHz (1x8GB) 2Rx8 Dual Rank CAS Latency 13 1.35V</p>
---	---

## Case

n/a

## Storage

<p><b>SATA1</b></p> 	<p>Dogfish 64GB mSATA MLC SSD</p>
---	-----------------------------------

## Cooling

n/a

# Power Supply

n/a

# UPS

n/a

# Add-On Cards

<p><b>mPCIe (USB)</b></p>  <p>The image shows a green mPCIe card with a white label. The label contains the following text: 'Model: A220NDW', 'P.N: G8C007U410', 'S/N: L123456789', 'MFR: 3802242888', 'ROM: 3802242888', 'HW: 8852', 'FA: 34442-001', 'FPU: 00000000', 'EC: 200820', '8800000000', 'T16A000000', 'Made in China'. There are also various certification logos (CE, FCC, RoHS) and a QR code on the label.</p>	<p><b>Protectli Wifi Adapter</b></p> <ul style="list-style-type: none"><li>• Wireless B/G/N at 2.4Ghz</li><li>• USB Channel communication</li></ul>
--	---

# Base Install

## Operating System

---

Proxmox Virtual Environment 6.x

## Configuration

Proxmox configuration has been transitioned to being automated by an [Ansible Role](#)

# Configuration (deprecated)

## DHCP Server

Domain	Subnet	Gateway
hermz	10.0.0.0/21	10.0.1.1

## IP Reservations

A few reservations were setup to ensure certain interfaces get a static IP address assigned to make managing these machines/devices easier.

MAC Address	Client Id	IP Address	Description
02:1c:83:7d:15:8e	firewall	10.0.1.1	PfSense firewall
02:1c:83:7d:15:8e	pihole	10.0.2.2	Pi-hole DNS
02:1c:83:7d:15:8e	wireguarded	10.0.2.2	wireguarded
b4:fb:e4:8f:f9:74		10.0.2.99	Ubiquiti UniFi Switch 8
e0:d5:5e:63:fe:30	blackbox	10.0.3.2	<a href="#">blackbox</a> proxmox management
e0:d5:5e:63:fe:30	mini	10.0.3.3	<a href="#">mini</a> proxmox management
d0:a6:37:ed:8c:7f	silverbook	10.0.4.4	Dustin's MacBook Pro (wifi)
82:13:00:9c:c7:00		10.0.4.5	thunderbolt ethernet adapter
32:cc:fb:a3:1a:57	docked	10.0.44.4	docker services

## DNS Resolver

DNS overrides were setup to allow accessing some services directly across the LAN instead of going through the router.

Home	Domain	Address/Alias	Description
------	--------	---------------	-------------

No overrides are currently being used

# Firewall/NAT

Interface	Protocol	Destination	Port(s)
WAN	IPv4 TCP	docked.hermz	80 ( <i>HTTP</i> ) 8080 ( <i>HTTP alternative</i> ) 443 ( <i>HTTPS</i> ) 8443 ( <i>HTTPS alternative</i> )
WAN	IPv4 TCP	docked.hermz	2222 ( <i>SSH alternative</i> )
WAN	IPv4 TCP/UDP	wireguarded.hermz	51820 ( <i>Wireguard</i> )

# Dynamic DNS

Interface	Service	Hostname
WAN	Namecheap	@.swigg.net
WAN	Namecheap	*.swigg.net
WAN	Namecheap	@.dustins.site
WAN	Namecheap	*.dustins.site
WAN	Namecheap	@.notgandhi.com
WAN	Namecheap	*.notgandhi.com

# VM / firewall (needs verification)

## Description

This VM is for running [VyOS](#) to act as a [firewall/router](#) for the network. Originally this machine was running [pfSense](#) (which is excellent) but that is based on [FreeBSD](#) and I wanted a firewall/router based on [Linux](#).

## Configuration

### Resources

Hostname	CPU	Memory
firewall	2 vCPU	512MB

### Storage

Disk	Controller	Size	Purpose
vpool-zfs:vm-104-disk-0	ide0	1M	EFI

## Networking

### Interfaces

ID	Name	Bridge	IP Address
net0	n/a	vmbr0	(DHCP)
net1	n/a	vmbr1	10.0.1.1/21



# VM / homeassistant



## Description

This VM is for running [HomeAssistant](#) which acts as the control system for smart home devices with focus on local control and privacy.

## Configuration

### Resources

Hostname	CPU	Memory
homeassistant	2 vCPU	4096MB

### Storage

Disk	Controller	Size	Purpose
vpool-zfs:vm-104-disk-0	ide0	1M	EFI

## Networking

### Interfaces

ID	Name	Bridge	IP Address
net0	n/a	vmbr0	(DHCP)